

# SAFETY DATA SHEETS

## AMERIPOLISH DYE-N-SEAL

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Ameripolish Dye-N-Seal  
**MANUFACTURER:** Incredible Products LLC.  
**ADDRESS:** 1221 Stewart Rd. Lima, OH 45801  
**INFORMATION PHONE:** 567-297-3700  
**EMERGENCY PHONE:** 800-424-9300  
**REVISION DATE:** March 13, 2026

### SECTION 2: HAZARDOUS IDENTIFICATION

**Classification:**

**Skin Irritation-** Category 2  
**Eye Irritation-** Category 2A  
**Respiratory Sensitizer (Solid/Liquid)-** N/A  
**Skin Sensitizer-** Category 1  
**Carcinogenicity-** Category 2B



**Signal Word:** Warning

**Hazardous Statements- Health:**

H226 Flammable liquid and vapor.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H320 - May cause eye irritation  
H333 - May be harmful if inhaled

**Precautionary Statements- General:**

P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P210 Keep away from heat/sparks/open flames/hot surfaces.No smoking.  
P233 Keep container tightly closed.  
P101 - If medical advice is needed, have a product container or label at hand.  
P102 - Keep out of reach of children.

**Precautionary Statements - Prevention:**

P264 - Wash thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P284 - <In case of inadequate ventilation> wear respiratory protection.  
P272 - Contaminated work clothing should not be allowed out of the workplace.

**Precautionary Statements- Response:**

P332 + P313 - If skin irritation occurs: Get medical advice/attention.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 - If eye irritation persists: Get medical advice/attention.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
P302 + P352 - IF ON SKIN: Wash with plenty of water.  
P333 + P313 - If skin irritation or a rash occurs: Get medical advice/attention.  
P321 - Specific treatment (see section 4 on this SDS).  
P362 + P364 - Take off contaminated clothing. And wash it before reuse.  
P308 + P313 - IF exposed or concerned: Get medical advice/attention.

**Precautionary Statements - Storage:**

P405 - Store locked up.  
P403+P235 Store in a well-ventilated place. Keep cool.  
**Precautionary Statements - Disposal:**  
P501 - Dispose of contents/ container to an approved waste disposal plant.

## SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

### Chemical characterization: Mixtures

#### Components:

Component 1 Trade Secret Trade Secret  
Acute Tox. 4, H302; Skin Secret Irrit. 2, H315; Eye Irrit. 2A, H319

Component 2 Trade Secret Trade Secret  
Flam. Liq. 3, H226 Secret  
Acute Tox. 4, H312; Eye Irrit. 2A, H319

Component 3 Trade Secret Trade Secret  
Eye Secret Irrit. 2A, H319

Component 4 Trade Secret Trade Secret

Component 5 Trade Secret Trade Secret

Component 6 Trade Secret Trade Secret  
Skin Sens. 1, H317

## SECTION 4: FIRST AID MEASURES

### Inhalation:

Remove the source of exposure or move the person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor. If exposed/feel unwell/concerned: Call a POISON CENTER/doctor.

### Skin Contact:

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Gently blot or brush away excess product. Wash with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before re-use or discard. IF exposed or concerned: Get medical advice/attention.

### Eye Contact:

Remove sources of exposure or move the person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention. Avoid direct contact. Wear chemical protective gloves, if necessary.

### Ingestion:

Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position. Give 1 or 2 glasses of milk or water to drink and refer the person to medical personnel. Do not give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

## SECTION 5: FIRE FIGHTING MEASURES

### Suitable Extinguishing Media:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

### Unsuitable Extinguishing Media:

Water stream

### Specific Hazards in Case of Fire:

Formation of toxic gasses is possible during heating or in case of fire.

### Fire-fighting Procedures:

Isolate the immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from the immediate hazard area if it can be done safely. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### Special Protective Actions:

Wear NIOSH approved self-contained breathing apparatus in positive pressure mode with full-face piece. Boots, gloves (neoprene), goggles, and full protective clothing are also required. Care should always be exercised in dust/mist areas.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Emergency Procedure:

Keep unnecessary people away; isolate hazard areas and deny entry. Do not touch or walk through spilled material. Clean up immediately. Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles

### Recommended Equipment:

Positive pressure, full-face piece self-contained breathing apparatus (SCBA), or positive pressure supplied air respirator with escape SCBA (NIOSH approved).

### Personal Precautions:

Avoid breathing vapors. Avoid contact with skin, eyes or clothing.

Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

### Environmental Precautions:

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

## SECTION 7: HANDLING AND STORAGE

### General:

Wash hands after use.

Do not get in eyes, on skin or on clothing.

Do not breathe vapors or mists.

Use good personal hygiene practices.

Eating, drinking and smoking in work areas is prohibited.

Remove contaminated clothing and protective equipment before entering eating areas.

### Ventilation Requirements:

Use only with adequate ventilation to control air contaminants to their exposure limits.

The use of local ventilation is recommended to control emissions near the source.

### Storage Room Requirements:

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well-ventilated areas away from strong oxidizers and any incompatibilities. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye Protection:

Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids. If additional protection is needed for the entire face, use it in combination with a face shield.

### Skin Protection:

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, and dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use of an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber is recommended to avoid skin sensitization. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated.

### Respiratory Protection:

Not required under normal conditions of use. Use a suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

### Appropriate Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Control parameters

**Components with limit values that require monitoring at the workplace:** The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### Component 2

EV (Canada) Long-term value: 110 mg/m<sup>3</sup>, 25 ppm  
Skin

#### Component 4

PEL (USA) Long-term value: 1 mg/m<sup>3</sup>

REL (USA) Long-term value: 0.5\* mg/m<sup>3</sup>

\*metal+inorg.compds.as Cr;See Pocket Guide App. C

TLV (USA) Long-term value: (0.5) 0.5\* mg/m<sup>3</sup>

\*inhalable fraction, as Cr(0)

EL (Canada) Long-term value: 0.5 mg/m<sup>3</sup>  
as metal

EV (Canada) Long-term value: 0.05 mg/m<sup>3</sup>

LMPE (Mexico) Long-term value: 0.5 mg/m<sup>3</sup>

A4

#### Component 5

PEL (USA) Long-term value: 1\* 0.1\*\* mg/m<sup>3</sup>

as Cu \*dusts and mists \*\*fume

REL (USA) Long-term value: 1\* 0.1\*\* mg/m<sup>3</sup>

as Cu \*dusts and mists \*\*fume

TLV (USA) Long-term value: 1\* 0.2\*\* mg/m<sup>3</sup>

\*dusts and mists; \*\*fume; as Cu

EL (Canada) Long-term value: 1\* 0.2\*\* mg/m<sup>3</sup>

\*dusts and mists; \*\*fume, as Cu

EV (Canada) Long-term value: 0.2\* 1\*\* mg/m<sup>3</sup>

as copper, \*fume;\*\*dust and mists

LMPE (Mexico) Long-term value: 0.2\* 1\*\* mg/m<sup>3</sup>

\*humo (como Cu);\*\*polvo y niebla (como Cu)

#### Most important symptoms and effects, both acute and delayed:

Irritant to skin and mucous membranes.

Causes eye irritation.

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

#### Allergic reactions

**Danger:** Harmful if swallowed.

#### Indication of any immediate medical attention and special treatment needed:

Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate. May produce an allergic reaction. Treat skin and mucous membrane with antihistamine and corticoid preparations.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**FLASH POINT:** ≥51 °C (≥124 °F)

**BOILING POINT:** N/A

**EVAPORATION RATE:** N/A

**VAPOR DENSITY:** N/A

**SOLUBILITY IN H<sub>2</sub>O:** FULLY MISCIBLE

## SECTION 10: STABILITY AND REACTIVITY

#### Stability:

This product is stable

#### Conditions to Avoid:

Excessive heat

#### Hazardous Reactions/Polymerization:

Carbon monoxide and carbon dioxide

Ammonia

## SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

##### Acute toxicity:

#### LD/LC50 values that are relevant for classification:

##### ATE (Acute Toxicity Estimate)

Oral LD50 1200-2000 mg/kg

Dermal LD50 >2000 mg/kg (rabbit)

##### Component 2

Oral LD50 2260 mg/kg (mouse)

3100 mg/kg (rat)

Dermal LD50 1300 mg/kg (rabbit)

##### Primary irritant effect:

**On the skin:** Irritant to skin and mucous membranes.

**On the eye:** Irritating effect.

**Sensitization:** Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate. May produce an allergic reaction.

#### IARC (International Agency for Research on Cancer):

Present in trace quantities.

75-56-9 propylene oxide 2B

#### NTP (National Toxicology Program):

Present in trace quantities.

75-56-9 propylene oxide R

#### OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed

#### Probable route(s) of exposure:

Eye contact.

Skin contact.

**Acute effects (acute toxicity, irritation and corrosivity):**

Harmful if swallowed.  
May be harmful in contact with skin.  
Irritating to eyes and skin.

**Repeated dose toxicity:** May cause sensitisation by skin contact.

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

## SECTION 12: ECOLOGICAL INFORMATION

**Toxicity**

**Aquatic toxicity**

**Component 6**

LC50 0.97 mg/l (lepomis macrochirus)

**Persistence and degradability:** No relevant information available.

**Bioaccumulative potential:** No relevant information available.

**Mobility in soil:** No relevant information available.

**Additional ecological information**

**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No relevant information available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal:**

Waste management should be in full compliance with federal, state, and local laws.

## SECTION 14: TRANSPORTATION INFORMATION

**UN-Number**

DOT: NA1993

ADR, IMDG, IATA: NA1993

**UN proper shipping name:**

DOT: Combustible liquid, n.o.s. (2-(propyloxy)ethanol)

ADR, IMDG: FLAMMABLE LIQUID, N.O.S. (2-(propyloxy)ethanol)

IATA Flammable liquid, n.o.s. (2-(propyloxy)ethanol)

**Transport hazard class(es)**

**DOT**

Class 3 Combustible liquids Combustible Liquids

**Label 3**

**ADR**

Class 3 (F1) Flammable liquids

**Label 3**

**IMDG, IATA**

Class 3 Flammable liquids

**Label 3**

**Packing group**

DOT, ADR, IMDG, IATA III

**Environmental hazards**

**Marine pollutant: No**

**Special precautions for user** Warning: Flammable liquids

**Danger code (Kemler):** 30

**EMS Number:** F-E,S-E

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Non-applicable

**Transport/Additional information:**

DOT Classified as combustible under US DOT regulations. Labeling is only required for single packages  $\geq 119$  US gal / 450 L.

ADR Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

IMDG Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

IATA Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each / 5 L net.

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture  
United States (USA)

### SARA

**Section 302 (extremely hazardous substances):** None of the ingredients are listed.

**Section 355 (extremely hazardous substances):** None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

Component 4 Trade Secret

Component 5 Trade Secret

### TSCA (Toxic Substances Control Act)

**Component 1:** Not listed on the TSCA Inventory

Not all ingredients listed.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

Present in trace quantities

75-56-9 propylene oxide 10000

### Proposition 65 (California)

**Chemicals known to cause cancer:**

Present in trace quantities.

75-56-9 propylene oxide

**Chemicals known to cause reproductive toxicity for females:** None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:** None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:** None of the ingredients are listed

### Carcinogenic categories

**EPA (Environmental Protection Agency):**

Component 4 Trade Secret D

Component 5 Trade Secret D

**IARC (International Agency for Research on Cancer):**

Present in trace quantities.

75-56-9 propylene oxide 2B

**NIOSH-Ca (National Institute for Occupational Safety and Health):**

Present in trace quantities.

75-56-9 propylene oxide

**Canadian Domestic Substances List (DSL):**

All ingredients are listed.

## SECTION 16: OTHER INFORMATION

### DISCLAIMER

The information contained herein is based on the data available and is believed to be accurate, however, the manufacturer makes no warranty expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Accordingly, we assume no responsibility for injury from the use of this product.