



SAFETY DATA SHEET

WB 421 GLOSS PART B

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: WB 421 GLOSS PART B
MANUFACTURER: : INCREDIBLE PRODUCTS LLC.
ADDRESS: 1221 Stewart Rd. Lima, OH 45801
INFORMATION PHONE: 567-297-3700
EMERGENCY PHONE: 800-424-9300
REVISION DATE: August 21, 2025

SECTION 2: HAZARDOUS INFORMATION

Classification:

Skin Irritation- N/A

Eye Irritation- N/A

Respiratory Sensitizer (Solid/Liquid)- N/A

Skin Sensitizer- N/A

Carcinogenicity- N/A

Signal Word: Danger

Hazardous Statements- Health:

H320 - May cause eye irritation

H315 - May cause skin irritation

H317 - May cause an allergic skin reaction

H333 - May be harmful if inhaled

Precautionary Statements- General:

P101 - If medical advice is needed, have a product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

Precautionary Statements- Prevention:

P210 – Keep away from heat/sparks/open flames/hot surfaces.

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P284 - <In case of inadequate ventilation> wear respiratory protection.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

Precautionary Statements- Response:

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or a rash occurs: Get medical advice/attention.

P321 - Specific treatment (see section 4 on this SDS).

P362 + P364 - Take off contaminated clothing. And wash it before reuse.

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

Precautionary Statements- Storage:

Store in a well-ventilated place.

Keep Cool.

Keep the container tightly closed.

Keep from freezing

P405 - Store locked up.

Precautionary Statements- Disposal:

P501 - Dispose of contents/ container to an approved waste disposal plant.



SAFETY DATA SHEET

WB 421 GLOSS PART B

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NO.	WEIGHT-%	TRADE SECRET
TRADE SECRET	PROPRIETARY	TRADE SECRET	*
TRADE SECRET	PROPRIETARY	TRADE SECRET	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

Inhalation:

Remove the source of exposure or move the person to fresh air and keep them comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor. If exposed/feel unwell/concerned: Call a POISON CENTER/doctor.

Skin Contact:

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Gently blot away excess product. Wash with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before re-use or discard. IF exposed or concerned: Get medical advice/attention.

Eye Contact:

Remove the source of exposure or move the person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention. Avoid direct contact. Wear chemical protective gloves, if necessary.

Ingestion:

Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position. Give 1 or 2 glasses of milk or water to drink and refer the person to medical personnel. Do not give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

SECTION 5: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Use Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

UNSUITABLE EXTINGUISHING MEDIA:

N/A

Specific Hazards in Case of Fire:

N/A

FIRE-FIGHTING PROCEDURES:

Isolate immediate hazard areas and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from the immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Water may be ineffective but can be used to cool containers exposed to heat or flame. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SPECIAL PROTECTIVE ACTIONS:

Wear NIOSH approved self-contained breathing apparatus in positive pressure mode with a full-face piece. Boots, gloves (neoprene), goggles, and full protective clothing are also required. Care should always be exercised in dust/mist areas and full protective clothing are also required. Care should always be exercised in dust/mist areas.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedure:

Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Dispose according to local regulations. Keep unnecessary people away; isolate the hazard area and deny entry. Do not touch or walk through spilled material. Clean up immediately. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Recommended Equipment:

Positive pressure, full-face piece self-contained breathing apparatus (SCBA), or positive pressure supplied air respirator with escape SCBA (NIOSH approved). Spilled materials unless wearing appropriate protective clothing.



SAFETY DATA SHEET

WB 421 GLOSS PART B

Personal Precautions:

Avoid breathing vapors. Avoid contact with skin, eyes or clothing. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

Environmental Precautions:

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

SECTION 7: HANDLING AND STORAGE

GENERAL:

Wash hands after use.

Do not get in eyes, on skin or on clothing.

Do not breathe vapors or mists.

Use good personal hygiene practices.

Eating, drinking and smoking in work areas is prohibited.

Remove contaminated clothing and protective equipment before entering eating areas.

Eyewash stations and showers should be available in areas where this material is used and stored.

Employee education and training in safe handling of this material is required under OSHA hazard communication standard. Individuals with existing respiratory disease such as chronic bronchitis, emphysema, or asthma should not be exposed to isocyanates.

VENTILATION REQUIREMENTS:

Use only with adequate ventilation to control air contaminants to their exposure limits.

The use of local ventilation is recommended to control emissions near the source.

STORAGE ROOM REQUIREMENTS:

Keep at a temperature not exceeding 38 Degrees C (100 Degrees F). Do not allow material to freeze. Keep the container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION:

Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids. If additional protection is needed for the entire face, use it in combination with a face shield.

SKIN PROTECTION:

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, and dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use of an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber is recommended to avoid skin sensitization. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated

RESPIRATORY PROTECTION:

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect workers, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective equipment suppliers. When airborne concentrations exceed or are expected to exceed the TLV, use MSHA/NIOSH approved positive pressure supplied air respirator with a full-face piece or an air supplied hood. For emergencies, use a positive pressure self-contained breathing apparatus. Air purifying (cartridge type) respirators are not approved for protection against isocyanates.

APPROPRIATE ENGINEERING CONTROLS:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.



SAFETY DATA SHEET

WB 421 GLOSS PART B

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

SPECIFIC GRAVITY:

N/A

BOILING POINT:

212 degrees F

EVAPORATION RATE:

N/A

VAPOR DENSITY:

N/A

SOLUBILITY IN H2O:

Soluble in water

SECTION 10: STABILITY AND REACTIVITY

STABILITY:

Stable

CONDITIONS TO AVOID:

N/A

HAZARDOUS REACTIONS/POLYMERIZATION:

Will not occur

INCOMPATIBLE MATERIALS:

N/A

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information:****Inhalation:** Direct contact and vapor inhalation**Eye Contact:** Direct contact**Skin Contact:** Direct contact**Ingestion:** Direct contact

Chemical name:	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret			=18500 mg/m ³ (Rat) 1 h
Trade Secret	=710 mg/kg (Rat)	=570 uL/kg (Rabbit)	=0.15 mg/L (Rat) 4 h
			=0.29 mg/L (Rat) 1 h

Information on toxicological effects**Symptoms:**

Ingestion may cause nausea, vomiting and diarrhea. Exposure causes mild skin irritation.

Exposure causes eye irritation. Depending on concentration of residual monomers (typically ,0.1%), vapors can collect above the liquid in closed containers.

These vapors may result in eye and upper respiratory tract irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation:** Irritating to skin**Serious eye damage/eye irritation:** Irritating to eyes. Risk of serious damage to eyes.**Irritation:** Irritating to eyes, respiratory system and skin.**Sensitization:** No data available**Germ cell mutagenicity:** No data available**Carcinogenicity:** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.**Reproductive toxicity:** Not available**STOT - single exposure:** Not available**STOT - repeated exposure:** Not available**Aspiration hazard:** Not available**Numerical measures of toxicity - Product Information**



SAFETY DATA SHEET

WB 421 GLOSS PART B

SECTION 12: ECOLOGICAL INFORMATION

Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Ecotoxicity

Trade Secret: Fish 26.1: 96 h Brachy danio rerio mg/L LC50 static

Persistence and degradability

No data available

Bioaccumulation

No data available.

Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Waste management should be in full compliance with federal, state, and local laws.

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT Information

Not Regulated

IMDG Information

Not Regulated

IATA Information

Not regulated

SECTION 15: REGULATORY INFORMATION

International Inventories

TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

All ingredients are on the inventory or fall under the polymer exemption or are on the no longer polymer list.

LEGEND:

TSCA	United States Toxic Substances Control Act Section 8(b) inventory
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	Japan Existing and New Chemical Substances
IECSC	China Inventory of Existing Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances
PICCS	Philippines Inventory of Chemicals and Chemical Substances
AICS	Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372



SAFETY DATA SHEET

WB 421 GLOSS PART B

SECTION 15: REGULATORY INFORMATION

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

SECTION 16: OTHER INFORMATION

NFPA	HEALTH HAZARDS 2	FLAMMABILITY 1	INSTABILITY 0	PHYSICAL & CHEMICAL PROPERTIES -
HMIS	HEALTH HAZARDS 2	FLAMMABILITY 1	INSTABILITY 0	PHYSICAL PROTECTION X

DISCLAIMER:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.